

Index

- Ab** (= category of abelian groups), 2.2†
Ab⁽ⁿ⁾ (= category of abelian groups every element of which has order n), 26.2, 27.5
Abelian category, §41
 characterization of, 41.3, 41.4, 41.9, 41A
 defined, 41.1
 examples, 41.2
 finitary algebraic means category of modules, 41.16
 is finitely complete and finitely cocomplete, 41.5
 vs. algebraic category, 41.16, 41D, 41G
 vs. biproduct, 41.8, 41.10
 vs. exact additive category, 41.3, 41.4
 vs. exact additive functor, 41.11, 41.12
Abelianization functor, 9.2(8), 13.2(6), 27.5
Add [\mathcal{A} , \mathcal{B}], 40.16+, 41E, 41F
Additive category, §40
 defined, 40.1
 examples, 40.2, 40B
 vs. abelian category, 41.3, 41.4
 vs. algebraic category, 40.21
 vs. products and coproducts, 40.20
Additive functor, 40.14
 characterization, 40.16
 exact functor between abelian categories is, 41.11
 examples, 40.15
 vs. Ab, 40.17, 40.18
Additive structure on a category, 40.1
 vs. abelian category, 41.4
 vs. biproduct, 40.12, 40.13
Adjoint functor, §27. *See also* adjoint situation
Adjoint Functor Theorem:
 First, 28.3
 for Set-valued functors, 30.19–30.21, 31A
 involving third category, 28.12
 Second, 28.10
 modified form, 28E
 smallness conditions “best possible”, 28C, 28D
 Special, 28.11
 modified form, 28A
 with weak completeness condition, 28H
Adjoint situation, Chapter VII
 composition of, 27.8
 defined, 27.1
 dual of, 27.6
 equivalent formulation via set-valued bifunctors, 27.9, 27L, 27M
 examples, 27.5
 existence of, §28. *See also* adjoint functor theorem
 vs. representable functors, 30.13, 30.19–30.22, 31A
 uniqueness of, 27.4, 27K
 vs. additive categories and additive functors, 40G
 vs. comma categories, 27O
 vs. free objects, 31.4
 vs. functor category, 27P
 vs. Galois correspondence, 27Q
 vs. limits and colimits, 27.5, 27.7, 28.3, 28.9, 28.10, 28.11, 28.12, 28A, 30.21, 31A
 vs. universal maps, 27.3
Adjunction (= adjoint situation), 27.1
Algebraic category, §32
 commuting functor between two, is algebraic, 32.20
 defined, 32.1

† All numbers given are section and exercise numbers, not page numbers.

- Algebraic category—*continued*
 diagonalization property for, 32C
 examples, 32.2
 finitary, 32G
 finitary and abelian means category of modules, 41.16
 forgetful functor for, reflects isomorphisms, 32.5
 forgetful functor for, reflects limits, 32.11, 32.12
 implied by certain conditions, 32.4
 internal characterization, 32.21
 is cocomplete, 32.14
 is complete, 32.12
 is (regular epi, mono) category, 33K
 is well-powered and regular co-(well-powered), 32.10
 vs. abelian category, 41.16, 41D, 41G
 vs. additive category, 40.21
 vs. algebraic functor, 32.19, 32.21, 32.22
 vs. factorizations, 32.7, 32.8, 32.9, 32.13, 33K
 vs. free object, 32.22
 vs. varietal category, 38.3, 38.4
- Algebraic functor, 32.15
 closed under composition, 32.16
 is faithful, 32.17
 preserves and reflects, (monomorphisms, isomorphisms and (regular epi, mono)-factorizations, 32.18
 vs. algebraic category, 32.19, 32.21, 32.22
- Algebraic subcategory, §38
 vs. reflective subcategory, 38.1, 38.2
- Arrow (= morphism)
 Arrow category, 4.16
- Associated functors, 9.10, 10B
- Associativity condition (for morphisms), 3.1, 3.8
- Axiom of choice (for classes), 1.2
- BanSp**₁ (= category of Banach spaces and bounded linear transformations), 2.2
- BanSp**₂ (= category of Banach spaces and norm-decreasing linear transformations), 2.2
- Balanced category, 6.18
 characterization of, 17.13
 examples, 6.19
 normal category is, 39A
 vs. extremal morphisms, 17.13
- Bicartesian square (= pullation square)
- Bifunctor, 9.7–9.10
 vs. adjoint situation, 27.9
- Bijjective function, 1.1
 vs. isomorphism and bimorphism, 5.12, 5.14, 6.17, 32.6
- Bimorphism, 6.16
 closed under composition, 6.20
 examples, 6.17
 in three-fold factorization, 34.6
 reflected by faithful functor, 12.8
 vs. isomorphism, 6.18
- Bipointed sets, category of, 2.2
- Biproduct, 40.4
 characterization, 40.8
 in abelian category, 41.8, 41.10
 preservation of, vs. additive functor, 40.16
 vs. product and coproduct, 40.7–40.10
 vs. semiadditive structure, 40.12, 40.13
- Biproduct of morphisms, 40.6, 40.7
- BooAlg** (= category of boolean algebras), 2.2
- C*-Alg** (= category of C*-algebras), 2.2
- Cartesian product, 1.1, 1.2, 18.1, 18D
- Cartesian product functor, 9.8, 19K
- Cartesian square (= pullback square)
- Cat** (= category of small categories), 11.2
 full subcategories of, 12F
 is concretizable, 12L
 is well-powered, 11D
- $\mathcal{C}\mathcal{A}\mathcal{F}$ (= quasicategory of all categories), 11.2
 is not well-powered, 11D
 special morphisms in, 11C
- Categorical property:
 means preserved by equivalences, 14.16
 vs. functor category, 15.5, 15.6
- Category:
 abelian, §41. *See also* abelian category
 additive, §40. *See also* additive category
 algebraic, §32. *See also* algebraic category
 cocomplete, §23. *See also* cocomplete category
 comma, 4.18, 4.19, 20D
 complete, §23. *See also* complete category
 concrete, §2, 12.7. *See also* concrete category
 concretizable, 3.5+, 12L
 connected, 3.4
 conormal, 39.6. *See also* conormal category
 defined, 3.1, 3.8
 discrete, 3.4

- dually equivalent, 14.17, 14.18, 15A
- $(\mathcal{E}, \mathcal{M})$, §33. *See also* $(\mathcal{E}, \mathcal{M})$ category
- empty, 3.5(9)
- (epi, extremal mono), §34. *See also* (epi, extremal mono)-category
- equivalent, 14.8–14.11, 14J
- exact, §39. *See also* exact category
- examples, 2.2, 3.5
- (extremal epi, mono), §34
- functor, §15. *See also* functor category
- (normal epi, normal mono), 39.17
- normal, §39. *See also* normal category
- of all categories, appendix
- of small categories (= **Cat**), 11.2
- pointed, Chapter XI. *See also* pointed category
- quasicategory of all (= \mathcal{EAF}), 11.2, 11C, 11D
- self dual, 14.17, 14.18
- semiadditive, §40. *See also* semiadditive category
- skeletal, 14.4, 14.10
- small, 3.4. *See also* small category
- variatal, 38.3–38.6
- CBanAlg** (= category of commutative complex Banach algebras), 2.2
- Class, 1.2
 - ordered, 3.5, 27Q
- Closure under I -limits (or I^{op} -colimits), 23.5, 23.6, 33F, 36.12, 36.13, 36.15
- Coadjoint (= right adjoint)
- Cocartesian square (= pushout square)
- Cocomplete category, §23. *See also* cocompleteness
 - algebraic category is, 32.14
 - defined, 23.1
 - examples, 23.9
 - finitely, 23.1
 - abelian category is, 41.5
 - characterization, 23.7 dual
 - reflective subcategory is, 36.18, 36D
- Cocompleteness. *See also* cocomplete category
 - almost means completeness, 23.11–23.17, 23D
 - characterization of, 23.8 dual, 23.12
 - vs. has copowers of a separator, 23.17
 - vs. strongly co-(well-powered), 23.13, 28F
- Cocomplete subcategory, 23.5
 - vs. reflective subcategory, 36.18, 36D
- Coconstant morphism, 8.2–8.8
 - reflected by faithful functor, 12.8
- $cod(f)$ (= codomain of f), 3.1
- Codiagonal morphism, 18.7
- Codomain
 - of a functor, 9.1
 - of a morphism, 2.1, 3.1
 - of a sink, 19.1
 - of a source, 19.1
- Codominion, 34H, 34I
- $Coeq(f, g)$ (= coequalizer of f and g), 16.6
- Coequalizer, §16. *See also* regular epimorphism
 - defined, 16.2
 - examples, 16.3
 - existence in a category, 16.8
 - is colimit, 20.3
 - multiple, 16.10, 20B
 - notation for, 16.6
 - preservation of
 - different from preservation of regular epimorphisms, 24B
 - vs. congruence relation, 21.15, 21.16, 21G
- Cogenerator (= coseparator)
- Coimage of a morphism, 34.8
 - in exact category, 39.15
 - vs. exact sequence, 39.20, 39.21, 39.24, 39.25
- Cointersection of quotient objects, 17.2
- $Cok(f)$ (= cokernal of f), 16.17
- Cokernel, 16.17, 16.18
 - vs. kernel, 27R, 39.4, 39.5
- $Colim D$ (= colimit of D), 20.8, 23.4, 24.4(8), 27.5
- Colimit, §20
 - closure under the formation of, 23.5, 26.10, 36.12, 36.15
 - coequalizer is, 20.3
 - coproduct is, 20.3
 - defined, 20.2
 - direct limit is, 22.1
 - initial object is, 20.3
 - is “initial” natural sink, 20.2
 - multiple coequalizer is, 20B
 - preservation of
 - by full, faithful **Set**-valued functor, 24D
 - vs. adjoint situation, 27.7, 27P
 - vs. universal maps, 26.9, 26.10, 26.11
 - pushout is, 21.1
 - strong closure under the formation of, 36.15, 37.3
 - terminal object is, 20.3
 - vs. adjoint situation, 27.5, 27.7, 27P
 - vs. reflective subcategory, 36.17, 36.18
 - vs. universal map, 26I
- Colimit functor, 23.3, 23.4, 24.4(8), 27.5
- Colocally small (= co-(well-powered))

- Comma category, 4.18, 4.19, 20D
 vs. adjoint situation, 27O
- Commutation of limits, 25.4, 25.5
- Commutation of limits and colimits, 25B, 38B
- Commutative triangle
 preserved by any functor, 12.2
 reflected by faithful functor, 12.8
- Commutator subgroup functor, 9.2(8), 13.2(5), 27.5
- Complete category, §23. *See also* completeness
 algebraic category is, 32.12
 countably, 23B
 defined, 23.1
 examples, 23.9
 finitely, 23.1
 abelian category is, 41.5
 characterization, 23.7
 reflective subcategory is, 36.14, 38.2
 vs. algebraic subcategory, 38.2
 vs. complete subcategory, 23.6
- Completeness. *See also* complete category
 almost means cocompleteness, 23.11–23.17, 23D
 characterization of, 23.8, 23.12 dual
 in functor categories, 25.7
 means cocompleteness for small categories, 18.22, 23.9
- Complete subcategory, 23.5
 reflective subcategory is, 36.14, 38.2
 vs. algebraic category, 38.2
 vs. completeness, 23.6, 24.4(10)
- Composition
 of adjoint situations, 27.8
 of functors, 9.4
 of morphisms, 2.1, 3.1, 3.8
 of natural transformations, 13.3
- CompT₂** (= category of compact Hausdorff spaces), 2.2
- Concrete category, §2, 12.7
 category naturally associated with, 3.5(1)
 equivalence for, 14J
 is regular well-powered and regular co-(well-powered), 16N
 (strongly) finitary, 22E
- Concretizable category, 3.5+, 12L
 dual is concretizable, 32H
- Cone (= natural source or natural sink)
- Conglomerate, 1.3
- Congruence on a category, 4.4
 induces quotient category, 4.5
- Congruence relation, 21.14
 vs. coequalizer, 21.15, 21.16, 21G
 vs. conormal category, 39.13
 vs. monomorphism, 21.15, 21.17
 vs. regular epimorphism, 21.16
 vs. varietal category, 38.3
- Conjugate (of a natural transformation), 27S
- Connected category, 3.4
- Conormal category, 39.6
 characterization of, 39.13, 39.14
 examples, 39.7
 given by certain conditions, 39.18
- Constant functor, 9.2
- “Constant functor” functor, 15.8, 15C
 preserves limits and colimits, 24.4(9)
 vs. adjoint situation, 27.5, 27P, 28F
 vs. diagonalization, 35.2
 vs. generation and epi-sinks, 26.4(2), 28.5(2)
 vs. limits and universal maps, 26I
- Constant morphism, 8.2–8.8
 reflected by faithful functor, 12.8
 vs. constant function, 8A
 vs. products, 18.16, 18E
 vs. pullback square, 21H
- Contravariant dual (of a statement) 12.4
- Contravariant functor, 9.5, 9.6
- Contravariant *hom*-functor, 10.2, 13.2(3)
- Contravariant power-set functor, 9.6, 13.2(3)
- Conull object (= initial object)
- Copower of an object, 18.7, 23.15, 30.19, 31C
- Copower functor:
 has a right adjoint, 27F
- Coproduct, §18
 defined, 18.3, 18.6
 examples, 18.4, 18.8
 existence for subfamilies, 23.15, 23.16
 factoring through finite, 40.20
 in abelian category, 41.3, 41.4, 41.7
 is colimit, 20.3
 preservation of, vs. additive functor, 40.16
 preservation of, vs. finitary functor, 40.21
 vs. biproduct, 40.7, 40.8, 40.10
- Coproduct of morphisms, 18.15
 vs. (bi)product of morphisms, 40.7
- Coreflection of an object, 36.1
- Coreflective hull, 37.5, 37.7
- Coreflective subcategory, 36.1
 characterization of, 37.3
 examples, 26.2(4)
 treatment only given for full, isomorphism-closed subcategories, 36.6
 vs. monoreflective subcategory, 37.3

- Coreflector functor, 36.1
- Coretraction (= section)
- Coseparator, 12.18–12.21, 19.5–19.8
 - characterization of, 12.20, 19.6
 - defined, 12.18, 12J
 - examples, 12.21
 - existence of, vs. adjoint functors, 28.11, 30.21
 - extremal, 19.7, 19.8, 19E
 - \mathcal{A} -, 19.7
 - regular, 19.7
 - vs. mono-source, 19.5
- Countable completeness, 23B
- Counit of adjunction, 27.1
- Co-universal map, §26. *See also* universal map
- Covariant functor (= functor), 9.5
- Covariant *hom*-functor, 10.2
- Co-(well-powered) category, 6.27
 - examples, 6.28
 - \mathcal{E} -, 17.15
 - extremally, 17.9
 - vs. Adjoint Functor Theorem, 28.10
 - regular, 16.13
 - algebraic category is, 32.10
 - strongly, 19.9, 19F, 23.13, 28F
 - vs. well-powered, 39.11
- CRegT₂** (= category of completely regular Hausdorff spaces), 2.2

- Dense functor, 12.5, 12.6, 12.10, 12.11, 12H, 12I, 14.12, 14G, 24.11
- Dense subcategory, 5.21
- Diagonalization property
 - (\mathcal{E} , \mathcal{M})-, 33.2, 33.3, 33C
 - (epi, extremal mono)-, 33J, 34.2, 34.4, 35.4
 - [epi, (extremal mono)-source]-, 35.3
 - (epi sink, extremal mono)-, 35.11
 - (extremal epi, mono)-, 35.4
 - [(extremal epi)-sink, mono]-, 35.2
 - for algebraic category, 32C
 - (regular epi, mono)-
 - possessed by all categories, 17.17
- Diagonalization Theorems, 35.1, 35.9
- Diagonal morphism, 18.7
- Diagram (= functor)
- Difference cokernel (= coequalizer)
- Difference kernel (= equalizer)
- Directed class, 22.1
- Direct image, 21.1
- Direct limit, §22
 - canonical construction of, 22.2(6)
 - commutation with finite limits, 25B, 38B
 - defined, 22.1
 - examples, 22.2, 22B, 22C
 - determined by direct limit of final subsystem, 22.3
 - is colimit, 22.1
 - vs. finitary category, 22E, 32G, 38B
- Discrete category, 3.4
- Disjoint union, 1.1, 1.2
 - functor, 9.8
- $\text{dom}(f)$ (= domain of f), 3.1
- Domain
 - of a functor, 9.1
 - of a morphism, 2.1, 3.1
 - of a sink, 19.1
 - of a source, 19.1
- Dominion, 34H, 34I
- Doolittle diagram (= pullation square), 21.16, 21L, 41B
- Double quasicategory, 13.16
- Downward-directed class, 22.1
- Dual category (= opposite category)
- Duality
 - contravariant, 12.4
 - for functors, 12.4
 - principle of, 4.15, 4Q, frontispiece
 - vs. adjoint situation, 27.6
 - vs. representable functors, 30I
- Dually-equivalent categories, 14.17, 14.18, 15A

- \mathcal{E} -co-(well-powered), 17.15
- Embedding functor, 12.5, 12.6, 12.11, 12I, 12L, 14A
- Embedding morphism, 34G
- Embedding, Yoneda, 30.8, 30.9
- (\mathcal{E} , \mathcal{M}) category, §33
 - characterized by (\mathcal{E} , \mathcal{M})-factorizability and (\mathcal{E} , \mathcal{M})-diagonalization property, 33.3
 - defined, 33.1
 - examples, 33A, 33B, 33G, 33H, 33K, 33L
 - in such, \mathcal{E} and \mathcal{M} uniquely determine each other, 33.6
 - vs. closure of \mathcal{M} under products, pullbacks, and intersections, 33F
 - vs. \mathcal{E} -reflective subcategory, 37.1
 - vs. extremal morphisms, 33.7, 33D, 33F, 34A
 - vs. isomorphisms, 33F
 - vs. \mathcal{M} -subobjects, 36.11
 - (\mathcal{E} , \mathcal{M})-diagonalization property, 33.2, 33.3, 33C

- (\mathcal{E}, \mathcal{M})-factorization, 17.15
 - vs. (\mathcal{E}, \mathcal{M}) category, 33.3
- Empty category, 3.5(9)
- Ens (= Set)
- (epi, extremal mono) category, §34
 - given by well-powered, has intersections and equalizers, 34.5, 35.12
- (epi, extremal mono)-diagonalization property, 33J, 34.2, 34.4, 35.4
- (epi, extremal mono)-factorization, 17.15
- [epi, (extremal mono)-source]-diagonalization, 35.3
- [epi, (extremal mono)-source]-factorization, 19.13
- (epi, mono) category
 - exact category is, 39.15
- (epi, mono)-factorization, 17.8, 17E, 39.6
- (epi, mono-source)-factorization, 19.13
- Epimorphism, 6.9–6.15
 - extremal, 17.9. *See also* extremal epimorphism
 - in \mathcal{CAF} , 11C
 - in exact category, 39.15, 39.22, 39.24
 - normal, 16.17. *See also* normal epimorphism
 - not closed under products, 18G
 - regular, 16.13. *See also* regular epimorphism
 - vs. free object, 31.9
 - vs. generation of an object, 26.4
 - vs. preservation and reflection by functors, 12.8, 12.10, 12.14, 24.6, 24.8, 24G, 31.6, 32.1, 41.15
 - vs. projective object, 12.14, 31.6
 - vs. pullback, 21N, 41C
 - vs. regular monomorphism, 16.16, 16G, 16I
 - vs. retraction, 6.14
 - vs. surjective function, 6.8, 6.10, 6H, 6I, 11C, 32.6
 - with extremal monomorphism means isomorphism, 17.12
 - with section means isomorphism, 6.15
- Epi-reflective subcategory, 36.1. *See also* reflective subcategory
 - characterization, 37.2
 - closed under formation of extremal subobjects, 36.10
 - vs. monoreflectivity, 36.3, 37C
- (epi, regular mono)-factorization, 17.15, 34D
- Epi-sink, 19.1
 - vs. generation of an object, 26.4, 26I
- (epi sink, extremal mono)-diagonalization, 35.11
- (epi sink, extremal mono)-factorization, 19.13, 35.13
- (epi sink, mono)-factorization, 19.13
- \mathcal{E} -projective, 31.6
- $Equ(f, g)$ (= equalizer of f and g), 16.6
- Equalizer, §16. *See also* regular monomorphism
 - commutes with products, 18.17, 25.1
 - defined, 16.2
 - examples, 16.3
 - existence in a category, 16.8
 - is limit, 20.3
 - is subobject, 16.4
 - multiple, 16.10–16.12, 20.7, 20B
 - notation for, 16.6
 - uniqueness of, 16.5, 20.7
 - vs. epimorphism, 16.7
 - vs. intersection and product, 18.23
 - vs. isomorphism, 16.7, 16A
 - vs. kernel (in additive category), 40C
 - vs. monomorphism, 16B
 - vs. pullback and product, 21.3, 21.4, 21.7
- Equivalence (= full, faithful and dense), 14.12–14.18
 - does not reflect identities, 12I
 - preserves and reflects categorical properties, 12.10, 12H, 14G
 - preserves and reflects (co)limits, 24.11
- Equivalence situation, 14.12, 14.13, 27.2
- Equivalent categories, 14.8–14.11, 14J
 - concrete, 14J
 - dually, 14.17, 14.18, 15A
 - vs. equivalence, 14.15
- \mathcal{E} -quotient object, 17.15
- \mathcal{E} -reflective subcategory, 36.1. *See also* reflective subcategory
- \mathcal{E} -separator, 19.7
- Evaluation functor, 15.7, 15.8, 15C
- Evaluation natural transformation, 13.2(12)
- Exact category, 39.6
 - examples, 39.7
 - given by certain conditions, 39.19
 - means (normal epi, normal mono) category, 39.17
 - properties of, 39.11, 39.15, 39.21, 39.22
 - vs. abelian category, 41.3, 41.4
- Exact functor, 39.23–39.25, 39J–39M
 - between abelian categories is additive, 41.11
 - vs. *Hom*-functor relative to a projective object, 41.15
 - vs. limit and colimit preservation, 41.12
- Exact sequence, 39.20–39.25, 39E–39J, 41.8, 41B

- Extendable morphism, 37.8–37.10, 37F, 37G, 37H
 Extremal condition
 for generation, 26.3, 26.5
 for morphisms, 17.9, 17.14, 17B
 for sources and sinks, 19.1, 19.4
 Extremal coseparator, 19.7, 19.8, 19E
 (extremal epi, mono) category, §34
 given by well-powered, finitely complete, and has intersections, 34.1, 35.7
 (extremal epi, mono)-diagonalization property, 35.4
 (extremal epi, mono)-factorization, 17.15
 vs. (extremal G -generating, mono)-factorization, 28.5
 (extremal epi, mono-source)-factorization, 35.14
 Extremal epimorphism, 17.9
 examples, 17.10
 extremal condition sufficient, 17.14, 17B
 vs. balanced category, 17.13
 vs. $(\mathcal{C}, \mathcal{M})$ category, 33.7, 34A
 vs. extremal generation of an object, 26.4
 vs. regular epimorphism, 17.11, 32B
 with monomorphism means isomorphism, 17.12
 (extremal epi)-sink, 19.1
 vs. extremal generation of an object, 26.4, 26I
 [(extremal epi)-sink, mono]-diagonalization, 35.2
 [(extremal epi)-sink, mono]-factorization, 19.13. *See also* factorization
 Extremal generation of an object, 26.3, 28.4, 35.8
 examples, 26.4, 28.5
 vs. adjoint functors, 28.9, 28.10
 vs. universal map, 26.6
 (extremal G -generating, mono)-factorization, 28.4. *See also* factorization
 Extremally co-(well-powered), 17.9
 vs. Adjoint Functor Theorem, 28.10
 Extremally well-powered, 17.9
 Extremal monomorphism, 17.9
 closure under composition, intersection, inverse image and product given by the (epi, extremal mono)-diagonalization property, 34.2
 examples, 17.10
 vs. closure under composition and intersections, 34.2, 34.7, 34B, 34C
 vs. balanced category, 17.13
 vs. embedding morphism, 34G
 vs. $(\mathcal{C}, \mathcal{M})$ category, 33.7, 33D, 33F, 34A
 vs. first factor of a composition, 17C
 vs. regular monomorphism, 17.11 dual, 34.7, 34D, 34H, 34L
 vs. strict monomorphism, 34J
 vs. strong monomorphism, 34K
 with epimorphism means isomorphism, 17.12
 (extremal mono)-source, 19.1–19.4
 limit is, 20.4
 product, is, 19D, 20.5
 vs. epireflective subcategory, 37.2
 vs. extremal coseparator, 19E
 vs. extremal monomorphism, 19.2, 19.3
 Extremal projective, 31.6
 Extremal quotient object, 17.9
 vs. coreflective subcategory, 37.3
 Extremal separator, 19.7
 vs. algebraic functor, 32.2I
 vs. limit reflection by *hom*-functor, 35D
 Extremal subobject, 17.9
 vs. closure under intersections, 34.2, 34.7, 34C
 vs. epireflective subcategories, 36.10, 37.2

 Factorizable category
 $(\mathcal{C}, \mathcal{M})$ -, 17.15
 (extremal epi, mono)-
 implied by well-powered, has intersections and equalizers, 17.16, 28.7
 (regular epi, mono)-
 algebraic category is, 32.13
 always unique, 17.18
 implied by existence of pullbacks and coequalizers and proper behavior of regular epimorphisms, 21O
 Factorization, §17, Chapter IX
 $(\mathcal{C}, \mathcal{M})$ -, 17.15
 vs. $(\mathcal{C}, \mathcal{M})$ category, 33.3
 (epi, extremal mono)-, 17.15
 [epi, (extremal mono)-source]-, 19.13
 (epi, mono)-, 17.8, 17E
 (epi, mono-source)-, 19.13
 (epi, regular mono)-, 17.15
 (epi sink, extremal mono)-, 19.13
 given by well-powered, has intersections and equalizers, 35.13
 (epi sink, mono)-, 19.13
 examples, 34F
 (extremal epi, bi, extremal mono)-, 34.6
 (extremal epi, mono)-, 17.15
 vs. (extremal G -generating, mono)-factorization, 28.5
 (extremal epi, mono-source)-, 19.13

Factorization—*continued*

- given by co-(well-powered), has co-intersections and coequalizers, 35.14
- [(extremal epi)-sink, mono]-, 19.13
- implied by well-powered, has intersections and equalizers, 19.14, 28.8, 35.6
- vs. (extremal G -generating, mono)-factorization, 28.5
- (extremal G -generating, mono)-, 28.4
- examples, 28.5
- given by certain conditions, 28.6, 32D, 35.5
- vs. adjoint functor theorems, 28.9, 28.10
- five-fold, 34I
- functorial in $(\mathcal{C}, \mathcal{M})$ category, 33.5, 33E
- (G -generating, extremal mono)-, 28.4
- given by certain conditions, 35.12, 35B
- in normal and exact categories, 39.13, 39.15, 39.17
- (normal epi, normal mono)-, 39.17
- (regular epi, mono)-, 17.15
- always unique, 17.18
- implied by certain conditions, 21O, 32.3
- preserved and reflected by algebraic functor, 32.13, 32.18
- vs. algebraic subcategory, 38.1
- vs. (regular epi, mono) category, 33.4
- three-fold, 34.6
- vs. algebraic category, 32.7, 32.8, 32.9, 32.13, 32D
- vs. dominion, 34H
- Factorization Lemmas, 28.6, 34.3
- Factors through, 3.1
- Faithful functor, 12.5
 - algebraic functor is, 32.17
 - cartesian product functor is not, 19K
 - examples, 12.6
 - vs. concrete category, 12.7
 - vs. composition, 12.11, 12D
 - vs. equivalence, 14.12
 - vs. preservation and reflection of (co)-limits, 24.7, 24.8, 24.9, 24.11, 24.12, 24D
 - vs. reflection of special morphisms, 12.8, 12.9, 24.6, 24.8
 - vs. reflection of exact sequences, 39I, 39J
 - vs. separator and coseparator, 12.18, 12J, 31.11, 41.14
 - with full and dense, preserves and reflects categorical properties, 12.10, 12H, 12I, 14G, 24.11
- Family, 1.1
- Fibered product (= pullback)

- Fibered sum (= pushout)
- Field (= category of fields), 2.2
- Final subclass of an upward-directed class, 22.3
- Finitary category, 22E
 - algebraic, 32G, 32L
 - and abelian, means category of modules, 41.16
 - vs. varietal category, 38A, 38B
- Finitary functor, 22E
 - vs. preservation of coproducts, 40.21
- Finitary object, 22E
- Finitely generated space, 14C
- First Adjoint Functor Theorem, 28.3
- First Noether Isomorphism Theorem, 39H
- Fitting property, 37C
- Five rules of Godement, 13.14
- Forgetful functor (= underlying functor), 9.2(6), 13.2(10)
 - universal map for, 26.2(1)
 - vs. adjoint situation, 27.5
 - vs. generation of objects, 26.4
 - vs. preservation and reflection of limits, 24.4
- Foundation for category theory, §1, appendix
- Free functor, 9.2(7), 13.2(10), 27.5
- Free object, §31
 - defined, 31.1
 - each object is surjective image of, 31.9
 - examples, 26.2(1), 31.2
 - isomorphism of, 31.14
 - is sur-projective, 31.8
 - over empty set means initial object, 31.4
 - over one-element set determines others, 31C
 - over a singleton set means representation, 31.4
 - retracts of, vs. sur-projectivity, 31.10, 32E
 - vs. algebraic functor and algebraic category, 32.22
 - vs. left adjoint, 31.4
 - vs. limit preservation, 31.4
 - vs. separator, 31.13
- Full Embedding Theorem, 30.8, 30.9, 30C
- Full functor, 12.5, 12.6
 - vs. composition, 12.11, 12D
 - vs. equivalence, 14.12
 - with faithful and dense, preserves and reflects categorical properties, 12.10, 12H, 12I, 14G, 24.11
- Full subcategory, 4.2
- Func, 13H
- $\mathcal{F}WNC$, 13.8

- Function, 1.1
 - restriction of, 9.1
- Functor, §9
 - additive, 40.14–40.18, 41.11
 - adjoint, §27. *See also* adjoint situation
 - algebraic, 32.15–32.22
 - colimit, 23.4, 24.4(8), 27.5
 - colimit of, 20.2. *See also* colimit
 - contravariant, 9.5
 - coreflector, 36.1
 - defined, 9.1
 - dense, 12.5, 12.6, 12.10, 12.11, 12H, 12I, 14.12, 14G
 - duality, 12.4
 - embedding, 12.5, 12.6, 12.11, 12I, 12L, 14A
 - equivalence, 14.12–14.18
 - evaluation, 15.7, 15.8, 15C
 - exact, 39.23–39.25
 - examples, 9.2, 9.6, 9.8, 9A, 9F
 - faithful, 12.5. *See also* faithful functor
 - finitary, 22E, 40.21
 - forgetful, 9.2. *See also* forgetful functor
 - full, 12.5. *See also* full functor
 - half-exact, 39L
 - has left (or right) adjoint, 27.1, §28
 - hom*, §10, §29. *See also hom*-functor
 - induced by universal maps, 26.9, 26.11, 26.12
 - initially in a subcategory, 36.15
 - isomorphism, 14.1
 - left-exact, 39L, 41.13
 - limit, 23.4, 24.4(8), 25.4, 27.5, 27P
 - limit of, 20.2. *See also* limit
 - of several variables, 9.7
 - quasicategory of all, 13.8
 - reflector, 36.1, 36.5
 - representable, §30. *See also* representable functor
 - representative (= dense)
 - right-exact, 39L
 - vs. bifunctor, 9.7–9.10
 - vs. preservation and reflection of limits and colimits, §24
- Functor category, §15
 - has properties of second member, 15.6, 25.7, 25A
 - limits in, and completeness of, 25.6, 25.7
 - vs. adjoint situation, 27P
 - vs. exact category, 39M
- Functor isomorphism (= natural isomorphism)
- Functor morphism (= natural transformation), 13.1
- Fundamental group functor, 9.2, 27.5
- Galois correspondence, 27Q
 - vs. formation of pullbacks and pushouts, 21D
 - vs. kernels and cokernels, 27R, 39.4
- Generation of an object (with respect to a functor), 26.3, 26.4, 26.6, 28.4, 28.5, 30.21, 35.8, 35.9, 35.12, 35A
- Generator
 - examples, 26.2(1)
 - insertion of, 31.1
 - vs. injective function, 31.5
- (*G*-generating, extremal mono)-factorization, 28.4
 - given by certain conditions, 35.12, 35B
- Godement's five rules, 13.14
- Grothendieck Universe, appendix
- Grounding functor (= forgetful functor)
- Grp** (= category of groups), 2.2
- Half-exact functor, 39L, 41.11
- Has biproducts, 40.4
- Has coequalizers, 16.8
 - and pullbacks, vs. (regular epi, mono)-factorizability, 21O
 - implied by completeness and smallness conditions, 23.11
- Has cokernels, 16.17
 - vs. normal and conormal categories, 39.6, 39.14, 39B
- Has coproducts, 18.18, 23.12
- Has coseparator
 - vs. (co)completeness and (co-)well-powered, 23.14
 - vs. Special Adjoint Functor Theorem, 28.11
- Has direct images, 21.1
- Has direct limits, 22.1
- Has equalizers, 16.8
 - and finite products, means has pullbacks and a terminal object, 21.9
 - follows from finite products and finite intersections, 21.8
 - vs. (finite) completeness, 23.7, 23.8
- Has finite products, 18.18
 - and equalizers means has pullbacks and a terminal object, 21.9
- Has *I*-colimits, 23.1
- Has *I*-limits, 23.1
- Has intersections, 17.5
 - vs. completeness, 23.7, 23.8
- Has intersections of regular subobjects
 - vs. completeness, 23.7, 23.8

- Has inverse images, 21.1
 - vs. (finite) completeness, 23.7, 23.8
- Has inverse limits, 22.1
 - and finite products, means has products, 22.6
 - vs. completeness, 23.8
- Has kernels, 16.17
 - vs. normal and conormal categories, 39.6, 39.14, 39.18, 39B
- Has left adjoint, 27.1. *See also* adjoint situation
- Has products, 18.18
 - means has coproducts for small categories, 18.22
 - implied by has finite products and inverse limits, 22.6
 - vs. completeness, 23.7, 23.8
- Has pullbacks, 21.1
 - and coequalizers, vs. (regular epi, mono)-factorizability, 21O
 - and terminal object, means has equalizers and finite products, 21.9
 - follows from finite products and terminal object, 21.6
 - follows from has finite products and equalizers, 21.4
 - vs. diagonalization properties, 35.1, 35.2, 35.4
 - vs. (finite) completeness, 23.7, 23.8
- Has pushouts, 21.1
 - vs. diagonalization properties, 33J, 35.3, 35.4
- Has right adjoint, 27.1. *See also* adjoint situation
- Has separator
 - vs. cocompleteness, 23.17
 - vs. reflection of regular epimorphisms, 24G
- Has terminal object
 - and pullbacks, means has equalizers and finite products, 21.9
 - vs. (finite) completeness, 23.7, 23.8
- $\text{hom}(A, B)$ (= set of morphisms from A to B), 2.1, 3.1, 10.2
- hom*-functor, §10, §29. *See also* representable functor
 - detects commutativity, 29.1
 - detects monomorphisms, 29.4
 - internal, 10.4
 - for additive and abelian categories, 40.17–40.19, 40.21, 41.13–41.16
 - universal map for, 26.2(3)
 - vs. adjoint situation, 27.5, 27P
 - preserves and detects limits, 29.3, 40.17
 - preserves monomorphisms, 12.13, 29.4
 - vs. adjoint situation, 27.5, 27.9, 27F
 - vs. left exactness, 41.13
- Homology functor, 9.2(12), 13.2(7), 13.2(8)
- Hom*-type functor, 10.5, 10.6
- hTop** (= homotopy category of topological spaces), 4.7
- Hull, (co)reflective, 37.5–37.10, 37C, 37E, 37G, 37H
- Hurewicz homomorphism, 13.2(8)
- Idempotents, splitting of, 17D
 - vs. adjoint functor theorem, 27N, 28H
- Identity (algebraic), 38D
- Identity functor, 9.2
- Identity morphism, 3.3, 3.7
 - characterization of, 3.6
 - existence condition, 3.1, 3.8
 - not reflected by equivalence, 12I
 - preserved by functors, 9.1
 - uniqueness of, 3.2
- Identity natural transformation, 13.2
- Image of a functor, 9B, 12E
- Image of a morphism, 34.8
 - in exact category, 39.15
 - vs. exact sequence, 39.20, 39.21, 39.24, 39.25
- Inclusion functor, 9.2
 - (co)-universal map for, 26.2(2), 26.2(4)
 - vs. adjoint situation, 27.5
- Induction algebra, 6I
- Initial object, 7.2–7.4
 - is colimit, 20.3
 - is limit, 20.3
 - means free object over the empty set, 31.4
 - vs. universal map, 26H
 - vs. universal point, 30D
- Initial subcategory, 22D
- Initial subclass of a downward-directed class, 22.3
- Injection functor, 9A, 9L
- Injection morphism, 18.3, 18.6
 - is section (in connected category), 18.12
 - vs. kernel and cokernel, 41.7
- Injective function, 1.1
 - vs. insertion of generators, 31.5
 - vs. monomorphism, 6.1, 6.3, 6B, 6I, 11C, 29.4, 32.6
- Injective object, 12.14–12.17
- Interchange law, 13.12
- Internal *Hom*-functor, 10.4, 26.2(3), 27.5, 27P, 40.17–40.19, 40.21, 41.13–41.16
- Intersection of \mathcal{C} -reflective subcategories, 37.4

- Intersection of subobjects, §17
 - defined, 17.2
 - is limit, 20.3
 - is subobject, 17.3
 - uniqueness of, 17.4, 20.7
 - vs. embedding morphism, 34G
 - vs. equalizer and product, 18.23
 - vs. (extremal epi, mono) category, 34E
 - vs. extremal subobjects, 34.2
 - vs. infimum of subobjects, 17.3, 17A, 34E
 - vs. \mathcal{M} -subobjects, 33F, 34.3, 34.7
 - vs. normal subobjects, 39.8
 - vs. regular subobjects, 18.24, 34H, 34J
 - vs. strict subobjects, 34J
 - vs. strong subobjects, 34K
- Inverse image, 21.1. *See also* pullback of a morphism
- Inverse limit, §22
 - defined, 22.1
 - determined by inverse limit of initial subsystem, 22.3
 - examples, 22.2
 - is limit, 22.1
 - of finite subproducts yields product, 22.5
- Invertible morphism (= isomorphism)
- Isomorphic categories, 14.1, 14.2
 - vs. subcategories, 14A, 14B
- Isomorphic functors, 13.1
- Isomorphic objects, 5.19
 - free objects are, implies objects are, 31.14
 - vs. isomorphic subobjects, 6M
- Isomorphic quotient objects, 6.23
- Isomorphic subobjects, 6.23–6.25
- Isomorphism, 5.13–5.20
 - between categories, 14.1–14.3
 - between functors. *See* natural isomorphism
 - characterization of, 5.17, 6.7, 6.15, 16.16, 17.12, 30.10, 39.15
 - closed under products, 18.16
 - in $(\mathcal{E}, \mathcal{M})$ category, 33F
 - in exact category, 39.15
 - preserved by all functors, 12.2
 - reflection of
 - by algebraic functors, 32.5, 32.18
 - by full, faithful functors, 12.9
 - vs. forgetful functor for algebraic category, 32.4, 32.5
 - vs. reflection of other properties, 24.7, 24.8, 24C, 32.3, 32A
 - vs. bijective function, 5.12, 5.14, 32.6
 - vs. natural isomorphism, 15.4, 30.10
- Isomorphism-closed subcategory, 5.21
- $\text{Ker}(f)$ (= kernel of f), 16.17
- Kernel, 16.17, 16.18
 - in pointed category, 16L
 - vs. cokernel, 27R, 39.4, 39.5
 - vs. equalizer (in additive category), 40C
 - vs. exact sequence, 39.21, 39.22, 39.24, 39.25
 - vs. monomorphism, 16L, 39.1, 39.3, 39.15, 39.16, 39.22, 39C
 - vs. pullback (square), 211
 - vs. zero object, 16L, 39.1, 39.2, 39.3
- Kernel pair (= congruence relation)
- Large class (= proper class), 1.2
- Lat (= category of lattices), 2.2
- Left adjoint of a functor, 27.1. *See also* adjoint situation
- Left associated functor (to a bifunctor), 9.10
- Left-complete (= complete)
- Left-exact functor, 39L, 41.13
- $\text{Lim } D$ (= limit of D), 20.8, 23.4, 24.4(8), 25.4, 27.5, 27P
- Limit, §20
 - closure under the formation of, 23.5, 23.6, 33F, 36.12, 36.13, 36.15
 - commutation of, 25.4, 25.5, 26I, 27P
 - commutation with direct limit, 25B, 38B
 - defined, 20.2
 - detection of
 - by *hom*-functors, 29.3
 - equalizer is, 20.3
 - in functor categories, §25
 - initial object is, 20.3
 - intersection is, 20.3
 - inverse limit is, 22.1
 - is (extremal mono)-source, 20.4, 26I
 - is “terminal” natural source, 20.2
 - multiple equalizer is, 20B
 - preservation of, §24
 - by full, faithful **Set**-valued functor, 24D
 - by *hom*-functors and representable functors, 29.3, 30.2, 30.21, 40.17
 - characterization, 24.2, 24.3
 - examples, 24.4
 - vs. adjoint situation, 27.7, 27P, 28.3, 28.9, 28.10, 28.11, 28.12, 28A, 28E, 30.21, 30.22
 - vs. embedding functor of full subcategory of **Set**, 30.18, 32.25
 - vs. factorization, 35C
 - vs. free objects, 31.4
 - vs. full embedding 30.18 30C, 32.25

- Limit—*continued*
 vs. object which is a regular separator, regular projective and has a universal map, 32.23
 vs. reflection of, 24.7, 24.8, 24E
 vs. universal map for a non-empty set, 30.16, 30.17, 30.18, 32.24
 product is, 20.3
 pullback is, 21.1
 reflection of, §24
 by covariant *hom*-functor from **Set** to **Set**, 29.6
 by covariant *hom*-functor with respect to an extremal separator, 29A
 by forgetful functor for algebraic category, 32.11, 32.12
 by full faithful functor, 24.9
 vs. preservation of, 24.7, 24.8, 24E
 strong closure under the formation of, 36.15, 36.16, 36B, 37.2
 terminal object is, 20.3
 uniqueness of, 20.6
 vs. adjoint situation, 27.5, 27.7, 27P
 vs. co-universal map, 26I
 vs. initial subcategory, 22D
 vs. reflective subcategory, 36.12–36.16
 Limit functor, 23.3, 23.4, 24.4(8), 25.4, 27.5, 27P
LinTop (= category of linear topological Hausdorff spaces), 2.2
 Locally small (= well-powered)
 Loop space, 26.2(3), 27.5
 Lower bound (for a diagram) (= natural source)

 Matching condition (for morphisms), 3.1, 3.8
 \mathcal{A} -coseparator, 19.7
Mod- R (= category of right R -modules), 2.2
Modules
 category of, 2.2
 characterization as finitary algebraic and abelian, 41.16
Mon (= category of monoids), 2.2
 Monocoreflective subcategory, 36.1
Monoid
 considered as a category, 3.5
Monofunctor (= monomorphism-preserving functor)
Monomorphism, 6.2–6.8
 closed under products, 18.16
 extremal 17.9. *See also* extremal monomorphism
 in exact category, 39.15, 39.22, 39.24
 normal, 16.17. *See also* normal monomorphism
 preserved and detected by *hom*-functors, 12.13, 29.4
 preserved and reflected by algebraic functor, 32.18
 preserved by functor which preserves pullbacks, 24.5
 reflected by faithful functor, 12.8
 regular, 16.13. *See also* regular monomorphism
 strict, 34J
 strong, 34K
 vs. congruence relation, 21.15, 21.17
 vs. embedding morphism, 34G
 vs. injective function, 6.1, 6.3, 6B, 6I, 11C, 29.4, 32.6
 vs. kernel, 16L, 39.1, 39.3
 vs. pullback, 21.10, 21.12, 21.13, 39D
 vs. section, 6.6
 with extremal epimorphism means isomorphism, 17.12
 with regular epimorphism means isomorphism, 16.16
 with retraction means isomorphism, 6.7
 Monoreflective subcategory, 36.1
 vs. epireflective, 36.3, 37C
 Mono-source, 19.1–19.5, 19B. *See also* (extremal mono)-source
Mor (\mathcal{C}) (= morphisms of \mathcal{C}), 3.1
Morphism, 2.1, 3.1
 composition of, 3.1
 congruence relation of, 21.14
 constant, 8.2–8.8. *See also* constant morphism
 coproduct of, 18.15
 extendable with respect to a subcategory, 37.8–37.10, 37F, 37G, 37H
 identity, 3.3, 3.7. *See also* identity morphism
 left-cancellable (= monomorphism), 6.2
 product of, 18.15
 right-cancellable (= epimorphism), 6.9
 with left and right inverse (= isomorphism), 5.13
 with left inverse (= section), 5.2
 with right inverse (= retraction), 5.7
Morphism between functors (= natural transformation), 13.1
Morphism functor (= *hom*-functor), 9.2
 \mathcal{A} -subobject, 17.15
 Multiple coequalizer, 16.10
 is colimit, 20B

- Multiple equalizer, 16.10–16.12, 20.7
 is limit, 20B
- Multiple pullback, 21K
- Multiple pushout, 21K
- \mathcal{M} -well-powered, 17.15
- N** (= natural numbers), 1.1
- $\mathcal{N}\mathcal{A}\mathcal{F}$, 13.16
- Natural equivalence (= natural isomorphism)
- Natural isomorphism, 13.1
 characterization of, 13.6
 examples, 13.2
 of set-valued bifunctors, vs. adjoint situation, 27.9, 27L, 27M
 vs. isomorphism, 15.4, 30.10
- Natural sink, 20.1
 vs. natural transformation, 20.1, 26I
- Natural source, 20.1
 category of all, 20A
 vs. natural transformation, 20.1
- Natural transformation, §13. *See also* natural isomorphism
 characterization by *hom*-functors, 29.2
 composition of, 13.3, 13.4, 13.5, 13.10
 conjugate of, 27S
 defined, 13.1
 double quasicategory of all, 13.16
 examples, 13.2
 induced by universal maps, 26.9, 26.11
 star product of, 13.10–13.16
 vs. natural sink, 26I
- Nine Lemma, 39G
- NLinSp** (= category of normed linear spaces and bounded linear transformations), 2.2
- Noether Isomorphism Theorem, 39H
- Normal category, 39.6
 examples, 39.7
 has certain limits, 39.9
 is balanced, 39A
- (normal epi, mono) category:
 vs. conormal category, 39.13, 39.14, 39C
- Normal epimorphism, 16.17
 characterization of, 39.5
 vs. factorization, 39.12, 39C
- (normal epi, normal mono) category
 means exact category, 39.17
- Normal monomorphism, 16.17, 16.18
 characterization of, 39.5
 examples, 16.18, 16K
 vs. kernel and cokernel, 39.16
- Normal quotient object, 16.17
 vs. normal subobject, 39.5
- Normal subobject, 16.17, 16.18
 intersection of, 39.8
 vs. normal quotient object, 39.5
- Null object (= terminal object)
- Ob**(\mathcal{C}) (= objects of \mathcal{C}), 3.1
- Object, 2.1, 3.1
 (strongly) finitary, 22E
- “One Universe” foundation, appendix
- Opposite category, 4.12
 for **Set**, 14H, 32H
- Opposite functor, 9.2
- Opposite natural transformation, 13C
- Partial operation, 3.7, 3.8
- Partially-ordered class, 3.5
- Pointed category, 8.9, Chapter XI
 characterizations for, 8.8, 12F
 examples, 8.10, 8.11
 kernels in, 16L
 means embeddable in a category with zero, 12F
- Pointwise Evaluation Theorem, 25.2
- POS** (= category of partially-ordered sets), 2.2
- Power of an object, 18.7
 vs. coseparator, 19.6, 19.7
 vs. subobjects and quotient objects, 18F
- Power set functor, 9A
- Preservation of categorical property, 12.1, 24.1
 vs. additive functor, 40.16
 vs. definition of functor, 9.1, 9C
 vs. definition of projective and injective objects, 12.14, 31.6
 vs. exact functor, 39.23, 39.24, 39.25, 41.12
 vs. full, faithful, and dense functor, 12.10, 12I
- Preservation of limits (or colimits), §24. *See also* limit, preservation of
- Product, §18
 commutes with equalizers, 18.17, 25.1
 commutes with multiple equalizers, 18H
 commutes with pullbacks, 21F
 defined, 18.2, 18.5
 examples, 18.4, 18.8
 in abelian category, 41.3, 41.4
 is inverse limit of finite subproducts, 22.5
 is limit, 20.3
 is mono-source, 18.9
 iteration of, 18.13

- Product**—*continued*
- preservation of, vs. additive functor, 40.16
 - terminal object is, 18.8
 - uniqueness of, 18.10, 20.7
 - vs. biproduct, 40.7–40.10
 - vs. cartesian product, 18.1, 18D
 - vs. equalizers and intersections, 18.23
 - vs. equalizers and pullbacks, 21.3, 21.4, 21.7
 - vs. invariance of special morphisms, 18.16, 18.18, 18G
 - vs. pullback over terminal object, 21.5, 21.6
- Product category**, 4.8
- Product of functors**, 9K
- Product of morphisms**, 18.15
- vs. (bi)product of morphisms, 40.7
 - vs. constant morphism, 18.16
 - vs. embedding morphism, 34G
 - vs. epimorphism, 18G
 - vs. extremal monomorphism, 34.2, 34C
 - vs. isomorphism, 18.16
 - vs. \mathcal{A} -morphism, 33F
 - vs. monomorphism, 18.16
 - vs. regular monomorphism, 18.20
 - vs. retraction, 18.16
 - vs. section, 18.16
 - vs. strict monomorphism, 34J
 - vs. strong monomorphism, 34K
- Projection functor**
- for comma category, 20D
 - for product category, 9A, 9L
 - onto skeleton, 14.14
- Projection morphism**, 18.2, 18.5
- is retraction (in connected category), 18.12
 - simultaneous cancellation of, 18.9, 19D, 20.5
- Projection functor**, 14.14
- Projective object**, 12.14
- characterization of, 12.15
 - \mathcal{E} -, 31.6
 - examples, 12.17
 - extremal, 31.6
 - regular, 31.6. *See also* regular-projective sur, 31.6, 31.8, 31.10
 - vs. \mathcal{E} -projective, 31.7
 - vs. exact *Hom*-functor, 41.15
- Proper class**, 1.2
- pSet** (= category of pointed sets), 2.2
- pTop** (= category of pointed spaces), 2.2
- Pulation square** (= Doolittle diagram), 21.16, 21L, 41.6–41.8, 41B
- Pullback of a morphism**, 21.1
- vs. embedding morphism, 34G
 - vs. extremal monomorphism, 34.2, 34C
 - vs. \mathcal{A} -morphism, 33F
 - vs. (regular) epimorphism, 21.11, 21.16, 21N, 32F, 41C
 - vs. (regular) monomorphism, 21.13
 - vs. retraction, 21.13
 - vs. section, 21M
 - vs. strict monomorphism, 34J
 - vs. strong monomorphism, 34K
- Pullback square**, §21
- cancellation of, 21E
 - canonical construction of, 21.3
 - commutes with products, 21F
 - composition of, 21E
 - defined, 21.1
 - examples, 21.2, 21A, 21B
 - is limit, 21.1
 - means product in comma category, 21.2, 21C
 - multiple, 21K
 - vs. constant morphism, 21H
 - vs. epimorphism, 21N, 41C
 - vs. equalizer and product, 21.3, 21.4, 21.7
 - vs. Galois correspondence, 21D, 27Q
 - vs. kernel, 21I
 - vs. monomorphism, 21.10, 21.12, 21.13, 24.5, 39D
 - vs. product and terminal object, 21.5, 21.6
 - vs. regular epimorphism, 21.11, 21.16, 21N, 21O
- Pushout of a morphism**, 21.1
- Pushout square**, §21
- defined, 21.1
 - is colimit, 21.1
 - multiple, 21K
 - vs. Galois correspondence, 21D, 27Q
- Q** (= rational numbers), 1.1
- Quasicategory**, 11.3
- double (of natural transformations), 13.16
 - every category is, 11.4
 - of all categories, 11.2, 11C, 11D
 - of all categories and natural transformations, 13.15
 - of all functors and natural transformations, 13.7, 13.8
 - of all quasicategories, 11B
- Quasi-identity**, 38D
- Quasi-inverse**, 5H
- Quasi-ordered class**, 3.5

- Quotient category, 4.6, 4.7
 Quotient object, 6.22
 \mathcal{E} -, 17.15
 extremal, 17.9, 37.3
 isomorphism between, 6.23
 normal, 16.17, 39.5
 order on class of, 6.23
 regular, 16.13
 vs. power of an object, 18F
 vs. subobject, 39.10
- R** (= real numbers), 1.1
R-Alg (= category of R -algebras), 2.2
 Reflection of categorical property, 12.1, 24.1
 vs. faithful functor, 12.8, 12.9, 24.6
 vs. full, faithful, and dense functor, 12.10, 12H
 Reflection of epimorphisms:
 vs. faithfulness, 12.8, 24.6
 Reflection of isomorphisms:
 by algebraic functor, 32.4, 32.5, 32.18
 vs. preservation and reflection of limits, 24.7, 24.8
 vs. reflection of extremal epimorphisms, 24C
 vs. reflection of regular epimorphisms, 32.3, 32A
 Reflection of limits (or colimits), §24. *See also* limit, reflection of
 Reflection of object, 36.1
 Reflective hull, 37.5–37.10, 37C, 37E, 37G, 37H
 Reflective subcategory, Chapter X
 characterization of, 37.1, 37.2
 defined, 36.1
 examples, 26.2(2), 36.2
 full, monoreflective always epireflective, 36.3
 intersection of, 37.4, 37.6
 treatment only given for full, isomorphism-closed subcategories, 36.6
 vs. algebraic category, 38.1, 38.2
 vs. cocompleteness, 36.18, 36D
 vs. colimits, 36.17
 vs. completeness, 36.14, 38.2
 vs. extendability of a morphism, 37.9, 37.10
 vs. non-fullness, 36A
 vs. section, 36.8, 36.9
 vs. (strong) closure under the formation of limits, 36.13, 36.16, 37.1, 37.2, 38.2
 vs. subobjects, 36.7, 36.8, 36.10, 36.11, 37.1, 37.2, 37.4, 37.6, 37C, 37G, 38.1, 38.6
 vs. varietal category, 38.5, 38.6
 Reflector functor, 36.1, 36.5
 examples, 26.2(2)
 Regular coseparator, 19.7
 Regular co-(well-powered), 16.13
 algebraic category is, 32.10
 concrete category is, 16N
 (regular epi, mono) category:
 algebraic category is, 32.3, 33K
 means (regular epi, mono)-factorizability, 33.4
 vs. composition of regular epimorphisms, 21O, 33L
 (regular epi, mono)-diagonalization property, 17.17
 (regular epi, mono)-factorization, 17.15. *See also* factorization
 Regular epimorphism, 16.13. *See also* coequalizer
 composition of, 21O, 33L
 examples, 16.14
 is extremal epimorphism, 17.11
 means extremal epimorphism in algebraic categories, 32B
 preservation of, 16O, 21O
 different from preservation of coequalizers, 24B
 reflection of, 16O, 21O
 necessary in algebraic categories, 32.1
 vs. reflection of isomorphism, 32.3, 32A
 vs. congruence relation, 21.16
 vs. pullback (square), 21.11, 21.16, 21N, 21O, 32G, 41C
 with monomorphism means isomorphism, 16.16
 Regular monomorphism, 16.13. *See also* equalizer
 closed under products, 18.20
 composition of, 16J, 34D, 34L
 examples, 16.14
 in **SGrp**, 34L
 is embedding morphism, 34E
 is monomorphism, 16.15
 section is, 16.15
 vs. epimorphism, 16.16, 16G, 16I
 vs. extremal monomorphism, 17.11 dual, 34.7, 34D, 34H, 34L
 vs. strict monomorphism, 34J
 Regular-projective, 31.6
 vs. algebraic category, 32.21, 32.23, 32E
 vs. regular separator, universal map, and limit preservation, 32.23

- Regular quotient object, 16.13
 - vs. varietal category, 38.6
- Regular separator, 19.7
 - vs. algebraic functor, 32.21
 - vs. regular projective, universal map, and limit preservation, 32.23
- Regular subobject, 16.13
 - closed under intersection in category which has products, 18.24
- Regular well-powered, 16.13
 - concrete category is, 16N
- Replete subcategory (= isomorphism-closed subcategory)
- Representable functor, §30. *See also hom-functor*
 - defined, 30.1
 - examples, 30.3
 - preserves limits, 30.2
 - uniqueness of 30.4, 30.11
 - vs. dualities, 30I
 - vs. existence of left adjoint, 30.13, 30.19–30.22
 - vs. free object over a singleton set, 31.4
 - vs. universal map, 30.12–30.15
 - vs. universal point, 30D
- Representative class of subobjects, 6.26
- Representative functor (= dense functor)
- Representative subcategory (= dense subcategory)
- Retract, 6.22
 - of free object, means sur-projectivity, 31.10
- Retraction, 5.7–5.11
 - closed under products, 18.16
 - is epimorphism, 6.14
 - preserved by all functors, 12.2
 - reflected by full, faithful functor, 12.9
 - vs. projection morphism, 18.12
 - vs. pullback, 21.13
 - with monomorphism means isomorphism, 6.7
- Retract-separator, 19.7
 - induced covariant *hom*-functor reflects limits, 29.5
- Right adjoint of a functor, 27.1. *See also* adjoint situation
- Right associated functor (to a bifunctor), 9.10
- Right-complete (= cocomplete)
- Right-exact functor, 39L
- Root (= limit)
- R-Mod* (= category of left *R*-modules), 2.2
- Rng* (= category of rings), 2.2
- Russell's paradox, 1.0
- Second Adjoint Functor Theorem, 28.10
 - modified form, 28E
 - smallness conditions “best possible”, 28C, 28D
- Second dual functor, 13.2
 - Sect, 6.22
 - reflective subcategories closed under the formation of, 36.9
- Section, 5.2–5.5
 - closed under products, 18.16
 - if reflection morphism, is isomorphism, 36.8
 - is monomorphism, 6.6
 - is regular monomorphism, 16.15
 - preserved by all functors, 12.2
 - reflected by full, faithful functor, 12.9
 - vs. injection morphism, 18.12
 - with epimorphism means isomorphism, 6.15
- Self-dual category, 14.17, 14.18
- Self-dual concept, 4.15
- Semiadditive category, 40.1
- Semiadditive structure on a category, 40.1
 - vs. abelian category, 41.4
 - vs. biproduct, 40.12, 40.13
- Separating set, 19J
- Separator, 12.18, 19.7
 - characterization of, 12.19, 19.6 dual
 - copowers of, vs. cocompleteness, 23.17
 - \mathcal{E} -, 19.7
 - examples, 12.21
 - extremal-, 19.7, 32.21
 - regular, 19.7. *See also* regular separator
 - vs. concretizability, 12L
 - vs. faithfulness of internal *Hom*-functor, 41.14
 - vs. free object over a non-empty set, 31.12
 - vs. universal map, 31.11
- Sequence, exact, 39.20–39.25, 39E
- Set, 1.1
 - of all sets, 1.1, 1.2, appendix
 - vs. class, 1.2
 - vs. conglomerate, 1.3
- Set** (= category of sets), 2.2
 - dual of, 14H, 32H
 - subcategories of, 12L
- Set-Theory, appendix
- Set-valued functor, Chapter VIII
 - characterization theorem for existence of left adjoints, limit preservation, and representability, 30.21
 - full and faithful, usually preserves limits and colimits, 24D
- SGrp** (= category of semigroups), 2.2

- Sink, §19
- Skeletal category, 14.4, 14.10
- Skeleton, 14.4–14.8
- Small category, 3.4
 - category of all (= **Cat**), 11.2
 - characterization of, 3F
 - is concretizable, 12L
 - vs. complete lattice, 18.22
- Small class (= set), 1.2
- Small functor, 9.1
- Smallness of morphism class condition, 3.1, 3.8
- Solution set, 28.1
 - universal map is, 28.2
 - vs. Adjoint Functor Theorem, 28.3, 28H
- Source, §19
- Special Adjoint Functor Theorem, 28.11, 28A
- Splitting of idempotents, 17D, 27N, 28H
- Squaring functor, 9A, 13D, 26C
- Star product (of natural transformations), 13.10–13.16
- Stone-Ćech functor, 9.2(9), 13.2(11), 27.5
- Strict monomorphism, 34J, 34K
- Strong closure under the formation of limits and colimits, 36.15, 36.16, 36B, 37.2, 37.3
- Strongly co-(well-powered), 19.9
 - not equivalent to co-(well-powered), 19F
 - vs. co-(well-powered) and cocomplete-ness, 23.13, 28F
- Strongly well-powered, 19.9–19.12
- Strong monomorphism, 34K
- Subcategory, 4.1
 - algebraic, §38
 - closed under certain constructions, 23C, 31B
 - closed under I -limits, 23.5
 - closed under I^{op} -colimits, 23.5
 - cocomplete, 23.5, 36.18
 - complete, 23.5, 23.6, 24.4(10), 36.14, 38.2
 - coreflective, 36.1. *See also* coreflective subcategory
 - dense, 5.21
 - examples, 4.3
 - full, 4.2
 - vs. full inclusion functor, 12.12
 - image of (under a functor), 9B, 12E
 - isomorphism-closed, 5.21
 - of **Set**, vs. concretizable categories, 12L
 - reflective, Chapter X. *See also* reflective subcategory
 - reflective hull of, 37.5, 37.6, 37.7, 37.9, 37.10, 37E, 37G, 37H
 - vs. special morphisms, 5F, 6C, 36.10, 37.2
- Subobject, 6.22
 - extremal, 17.9, 36.10, 37.2
 - isomorphism between, 6.23
 - \mathcal{A} -, 17.15
 - normal, 16.17, 16.18, 39.5, 39.8
 - order on class of, 6.23
 - regular, 16.13, 18.24
 - vs. power of an object, 18F
 - vs. quotient object, 39.10
- Sum category, 4.10
- Surjective function, 1.1
 - vs. epimorphism, 6.8, 6.10, 6H, 6I, 11C, 32.6
 - vs. free objects, 31.9
- Sur-projective, 31.6
 - each free object is, 31.8
 - vs. retracts of free objects, 31.10
- Suspension, 26.2(3), 27.5

- Tensor product functor, 9.8
- Terminal object, 7.5–7.8
 - is colimit, 20.3
 - is limit, 20.3
 - preserved and detected by *hom*-functors, 29.4
 - uniqueness of, 7.8, 18.11, 20.7
 - vs. constant morphism, 8.5
 - vs. pullback and product, 21.5, 21.6
- Top** (= category of topological spaces), 2.2
- Top₂** (= category of Hausdorff spaces), 2.2
- TopBun** (= category of topological bundles), 3.5
- TopGrp** (= category of topological groups), 2.2
- Torsion-free functor, 9F, 27.5
- Torsion subgroup functor, 9F, 27.5
- Totally-ordered class, 3.5
- Triangle category, 4.17
- Trifunctor, 9.7, 10A

- Underlying functor (= forgetful functor), 9.2
- Underlying set, 2.1
- Unit of adjunction, 27.1
- Universal arrow (= universal map)
- Universal element (= universal point)
- Universal map, §26
 - defined, 26.1
 - examples, 26.2
 - for non-empty set, implies limit preservation, 30.16, 30.17, 30.18
 - induce functor, 26.9, 26.11, 26.12

- Universal map—*continued*
 induce natural transformation, 26.9, 26.11
 is solution set, 28.2
 uniqueness of, 26.7
 vs. adjoint situation, 27.3, 30.21
 vs. colimit, 26.9, 26.10, 26.11, 261
 vs. extremal generation, 26.6, 28.9, 30.21
 vs. initial object, 26H
 vs. limit preservation, 26G, 27.7, 30.16, 30.17
 vs. representations and **Set**-valued functors, 30.12–30.15, 30.21, 30E
 vs. separator, 31.11
 vs. universal point, 30D
 Universal point, 30D
 Universe, 1.2, appendix
 Upper bound (for a diagram) (= natural sink)
 Upward-directed class, 22.1

 Varietal category, 38.3–38.6

 Well-powered category, 6.27
 algebraic category is, 32.10
 examples, 6.28, 11D
 extremally, 17.9
 \mathcal{M} -, 17.15
 regular, 16.13
 strongly, 19.9–19.12, 23.13 dual
 vs. co-(well-powered), 39.11
 vs. equivalence of completeness and co-completeness, 23.11–23.17

 Yoneda function, 30.6
 in additive categories, 40I
 vs. isomorphism and natural isomorphism, 30.10
 vs. representations and universal maps, 30.12
 Yoneda Lemma, 30.6, 30B

 \mathbf{Z} (= integers), 1.1
 Zero morphism, 8.2–8.8
 reflected by faithful functor, 12.8
 Zero object, 7.9–7.11
 vs. kernel and cokernel, 16L, 39.1, 39.2, 39.3
 vs. zero morphism, 8.6, 12B